

ELECTRO MAGNETIC LINEAR ACTUATOR 1



SYSTEM CONTROLS

Versatility is reality

The Linear Actuator is a highly customized solution suitable for various applications mainly used for high thrust linear motion. Salient features are compact rugged construction, high efficiency and reduced maintenance cost. Aluminum alloy is used for construction. The unit is configured with following components Quill, Barrel, Drive Unit with suitable motor, gearbox & brake. In built electronics, ends are sensed by limit switches. It can be stopped at intermediate position with self locking mechanism. Position feedback is available. A separate drive unit is supplied for driving the linear actuator. Input signal for driver unit will be a PWM signal.



APPLICATION AREAS

- ◇ Actuators for linear systems used in pedestals

Part No: SC-SYS-EMLA1-A-00-000

Technical Specification

Stroke Length	: 500 mm
Thrust	: 2000 N
Free Play	: 0.5 mm
Operating Voltage	: 24 VDC
Cable Length	: 25 cm
Operating Temperature	: - 10° to + 55°
Dimension	: 670 x 55 x 40 mm
Body Material	: Aluminum Alloy
Weight	: 1.6 Kg

SERVICES

- ◆ Engineering Design & Development
- ◆ System Integration
- ◆ Electronic Testing & Assembly
- ◆ CNC Machining & Manufacturing

SYSTEM CONTROLS TECHNOLOGY SOLUTIONS

www.systemcontrolstpl.com
webmaster@system-controls.com
#65 & 66P, Hitech Defense and AeroSpace Industrial Area,
Singahalli Villagae, Bangalore—562129
Phone: +91 8069050400 Fax: +91 8069050413